



Suite 1115, Two Bentall Centre
555 Burrard Street, P.O. Box 250
Vancouver, B.C. V7X 1M8
Telephone: 604.682-5580 Fax: 604-682-5596
www.uran.ca

NEWS RELEASE

URACAN INTERCEPTS ADDITIONAL URANIUM MINERALIZATION, INCREASES STRIKE LENGTH OF DOUBLE S ZONE ON NORTH SHORE PROPERTY, QUEBEC

October 30, 2007

Trading Symbol: (TSX – V): URC

HIGHLIGHTS:

- significant thicknesses (up to 104.2 meters) of uranium mineralization in multiple drill holes
- strike length increased from 725 meters to over 1,000 meters and remains open to south and down dip, narrows to the north.

Vancouver, Canada – UraCan Resources Ltd. (the “Company”) is pleased to announce that it has received additional assay results from the ongoing diamond drilling program on the Double S Occurrence within the 900 Km² North Shore Uranium Property in Quebec. Mineralization has been extended from the previously announced 725 meter strike length to over 1,000 meters of strike length defined by diamond drilling.

Significant results from the recent drill program include: 0.023% U₃O₈ over 22 meters in SS-07-30, 0.025% U₃O₈ over 15 meters in SS-07-35, 0.025% U₃O₈ over 6.5 meters within 104.2 meters of 0.012% U₃O₈ in SS-07-41.

The drilling completed to date outlines the continuation of a series of northeast dipping mineralized zones in the Double S area over the currently defined strike length of 1,000 meters. This mineralization is open along strike to the south as well as down dip. Mineralization continues to the north but appears to narrow.

Several areas of broad mineralization were encountered to the south, with the potential for additional mineralization in this area either as extensions of the main zone or as new areas of mineralization. Drilling is ongoing to define further mineralization in the southern area of the Double S Zone.

Double S Drilling

An additional 3,594 meters of diamond drilling in 15 drill holes has been completed on the Double S occurrence since the previous August 2 news release. The drill holes were planned to determine the strike length and down dip potential of the

uranium mineralization seen at surface. The upper portion of SS-07-28 was included in the August 2 news release, and additional mineralization encountered in the deeper part of this hole is included below.

The northeast dip of the mineralization is modeled based on surface mapping of outcrop exposures and the diamond drill holes completed to date. Generally the mineralization has a shallow northeast dip, but this can be locally steeper.

A summary of significant mineralized zones is included below:

Area	Drill Hole	From (m)	To (m)	Length (m)	U3O8 %	From (feet)	To (feet)	Length (feet)	U (lbs/t)
Double S	SS-07-28	9.1	18.5	9.4	0.015	29.9	60.7	30.8	0.29
Double S	SS-07-28	80.9	145.6	64.7	0.012	265.4	477.7	212.3	0.24
Double S	SS-07-28	241.35	247.35	6	0.012	791.8	811.5	19.7	0.23
Double S	SS-07-28	290	297.5	7.5	0.022	951.4	976.0	24.6	0.43
Double S	SS-07-30	17.5	39.5	22	0.023	57.4	129.6	72.2	0.45
Double S	SS-07-30	98.1	135.6	37.5	0.016	321.8	444.9	123.0	0.33
Double S	SS-07-30	149.1	155.1	6	0.013	489.2	508.9	19.7	0.26
Double S	SS-07-31	6	58.15	52.15	0.014	19.7	190.8	171.1	0.28
Double S	SS-07-31	83.8	98.4	14.6	0.014	274.9	322.8	47.9	0.28
Double S	SS-07-31	107.5	119.1	11.6	0.010	352.7	390.7	38.1	0.21
Double S	SS-07-32	96.5	115	18.5	0.011	316.6	377.3	60.7	0.22
Double S	SS-07-33	3	10	7	0.013	9.8	32.8	23.0	0.25
Double S	SS-07-33	114.7	122.5	7.8	0.013	376.3	401.9	25.6	0.26
Double S	SS-07-34	1.5	21.2	19.7	0.013	4.9	69.6	64.6	0.26
Double S	SS-07-34	125.6	132.5	6.9	0.014	412.1	434.7	22.6	0.27
Double S	SS-07-34	152	159.8	7.8	0.015	498.7	524.3	25.6	0.30
Double S	SS-07-35	20.6	27.6	7	0.012	67.6	90.6	23.0	0.24
Double S	SS-07-35	60.9	77	16.1	0.012	199.8	252.6	52.8	0.24
Double S	SS-07-35	91.8	97.3	5.5	0.013	301.2	319.2	18.0	0.26
Double S	SS-07-35	120.5	170.5	50	0.011	395.3	559.4	164.0	0.22
Double S	SS-07-35	180.5	195.5	15	0.025	592.2	641.4	49.2	0.50
Double S	SS-07-36	15	19.5	4.5	0.019	49.2	64.0	14.8	0.38
Double S	SS-07-36	57.5	65.4	7.9	0.011	188.6	214.6	25.9	0.21
Double S	SS-07-37	40	41.5	1.5	0.021	131.2	136.2	4.9	0.42
Double S	SS-07-38	76	77.5	1.5	0.011	249.3	254.3	4.9	0.21
Double S	SS-07-39	197.5	207.2	9.7	0.010	648.0	679.8	31.8	0.20
Double S	SS-07-40	199.8	200.6	0.8	0.120	655.5	658.1	2.6	2.41
Double S	SS-07-41	13.7	40.9	27.2	0.010	44.9	134.2	89.2	0.21
Double S	includes	27.8	32	4.2	0.020	91.2	105.0	13.8	0.40
Double S	SS-07-41	73.9	91.6	17.7	0.012	242.5	300.5	58.1	0.23

previously released
previously released

Double S	SS-07-41	102.9	139	36.1	0.014	337.6	456.0	118.4	0.28
Double S	includes	111	114.3	3.3	0.027	364.2	375.0	10.8	0.53
Double S	and	117.8	123.6	5.8	0.022	386.5	405.5	19.0	0.44
Double S	SS-07-41	155.8	260	104.2	0.012	511.1	853.0	341.9	0.23
Double S	includes	176.7	183.2	6.5	0.025	579.7	601.0	21.3	0.50
Double S	and	256.7	260	3.3	0.033	842.2	853.0	10.8	0.66
Double S	SS-07-42	assays pending							
Double S	SS-07-43	124.6	130.6	6	0.010	408.8	428.5	19.7	0.20
Double S	SS-07-44	155.2	162.7	7.5	0.012	509.2	533.8	24.6	0.24

Drill hole location information and a complete listing of assay results will be posted on the Uracon website : www.uracon.ca

QA/QC

Samples were shipped by company personnel in sealed containers to Chemex Laboratories of Val D'Or, Quebec for analysis. Chemex is the laboratory facility used for all assays from the North Shore Property program. Samples are weighed and catalogued before sample preparation. The samples are crushed to 70% less than 2mm, split and then pulverized to 85% of the sample being less than 75 µm. All samples are assayed using ICP-MS with analysis completed for 47 elements.

A QA/QC program was implemented as part of the sampling procedure for the drill program. Field duplicates and field blanks were inserted into the sample stream with at least one blank and one duplicate inserted per group of 40 samples sent to the laboratory. Uracon does not have a uranium standard to insert into the sample stream at this time. The laboratory also has an extensive in house QA/QC system as part of their quality control system.

Uracon Resources Ltd. is a publicly-listed uranium exploration company, exploring for shallow, bulk tonnage style of uranium mineralization in Canada. Uracon is led by a team of proven exploration and mine entrepreneurs and mine-builders. The information in this news release has been prepared and reviewed by **Marc Simpson, P. Geo.**, the Company's Qualified Person under National Instrument 43-101 standards.

For further information please contact

Gregg J. Sedun

President and CEO

OR

Marc Simpson

Exploration Manager

(604) 682-5580

Keith Schaefer

Vanguard Shareholder Solutions Inc.

(604) 608-0824

www.vanguardsolutions.ca

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release. The foregoing information may contain forward-looking statements relating to the future performance of Uracon Resources Ltd. Forward-looking statements, specifically those concerning future performance, are subject to certain risks and uncertainties, and actual results may differ materially. These risks and uncertainties are detailed from time to time in the Company's filings with the appropriate securities commissions.